REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if todes not display a currently valid OMB control number.

1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE CONFERENCE PROCEED	DINGS 3. DATES COVERED (From - To)			
A TITLE AND SURTITLE	5a. CONTRACT NUMBER			
SPACE-TIME IMAGING OF SHOALING WAVES AND SURF				
	5b. GRANT NUMBER			
	1			
	5c. PROGRAM ELEMENT NUMBER			
	0602435N			
C AUTHORICS	5d. PROJECT NUMBER			
John Dugan, Cindy Piotrowski, Zandy Williams and K. T. Holland				
	5e. TASK NUMBER			
	Je. IASK ROMULIN			
	5f. WORK UNIT NUMBER			
	SI. WORK DIVIT NOTWIDER			
	8. PERFORMING ORGANIZATION			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory	REPORT NUMBER			
Marine Geoscience Division	NRL/PP/744000-1006			
Stennis Space Center, MS 39529-5004				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S) ONR			
Office of Naval Research				
	l			
12. DISTRIBUTION/AVAILABILITY STATEMENT	20010920 085			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution is unlimited.	20010920 085			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution is unlimited.	20010920 085			
Approved for public release, distribution is unlimited.				
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an				
Approved for public release, distribution is unlimited.				
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an	nd currents			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high quality ocean data with which to test model results. This p	able shoaling wave and surf models has been the inability to			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This providing space-time visible images of the pearshore from which three pearshore from the pearshore from which three pearshore from the pearshore from which three pearshore from the pearshore from	ad currents able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need the parameters crucial to such evaluations are simultaneously			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which the retrieved. These fields are the wave spectrum, bathymetry and currents	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need to be parameters crucial to such evaluations are simultaneously a panchromatic digital framing camera has been mounted			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which three retrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer driven turner which provides accurate location and pointing at	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need the parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which thretrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need the parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted as they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water the space and time variations associated with the waves. The			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which thretrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water rees space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which threetrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water results space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which thretrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non linear gravity waves is fit to the spectrum, with the local water depth ar	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water results space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which threetrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water results space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which thretrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non linear gravity waves is fit to the spectrum, with the local water depth ar	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water results space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which thretrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non linear gravity waves is fit to the spectrum, with the local water depth ar	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water results space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for			
13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which threetrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non linear gravity waves is fit to the spectrum, with the local water depth ar 15. SUBJECT TERMS	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously. A panchromatic digital framing camera has been mounted is they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water resulted space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for and current as free parameters.			
Approved for public release, distribution is unlimited. 13. SUPPLEMENTARY NOTES shoaling wave, surf models, space-time, wave spectrum, bathymetry an 14. ABSTRACT A fundamental barrier to consequential evaluation of modem, very capa provide high-quality ocean data with which to test model results. This p by providing space-time visible images of the nearshore from which threetrieved. These fields are the wave spectrum, bathymetry and currents on a small aircraft and used to collect time series of images of waves as computer-driven turret which provides accurate location and pointing ar level on a common geodetic reference surface. This effectively separate resulting time series imagery can be mapped and displayed much like a algorithms to retrieve the ocean parameters of interest, specifically the frequency-wavenumber spectrum is calculated in sub-regions of the non linear gravity waves is fit to the spectrum, with the local water depth at 15. SUBJECT TERMS 16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF ABSTRACT O OR ABSTRACT OR	able shoaling wave and surf models has been the inability to paper describes a development intended to satisfy this need ree parameters crucial to such evaluations are simultaneously as. A panchromatic digital framing camera has been mounted to they shoal and break. The camera system is controlled by angles so that the images can be mapped to the mean water rees space and time variations associated with the waves. The movie taken from a sky hook. These data are used with wave spectrum, water depth and currents. The 3-D minal 2 km scene, and the theoretical dispersion relation for and current as free parameters.			

PUBLICATION OR PRESENTATION RELEASE REQUEST



NRLINST 5600.2

1. REFERENCES AND ENCLO	SURES 2. TYPE OF PUBLICATION OR PRES	ENTATION	3. ADMINISTRATIVE INFORMATION		
Ref: (a) NRL Instruction 5600	() Abstract only, published () Ab	stract only, not published ook Chapter	STRN NRL/PP/744000-1006 Route Sheet No.		
(b) NRL Instruction 5510	0.40D () Conference Proceedings (X) Co	() Conference Proceedings (X) Conference Proceedings			
Encl: (1) Two copies of subje	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ot refereed) ultimedia report	Job Order NoC		
paper (or abstract)	() Journal article (refereed) (Jo	/ / minico oponio			
4. AUTHOR					
Title of Paper or Presentation					
SPACE-TIME IMAGING OF SHOALING WAVES AND SURF					
John Dugan (Arete Associate and K. T. Holland (NRL Cod					
It is intended to offer this	paper to the4th International Symposium	n on Ocean Wave Meas	urement and Analysi		
September 3-5, 2001, San F		yvame or Contere	ence)		
	(Date, Place and Classifi	cation of Conference)			
and/or for publication in _	(Name and Classification of Publication)		(Name of Publisher)		
After presentation or publ	ication, pertinent publication/presentatio	n data will be entere	d in the publications data base, in		
accordance with reference	e (a).				
It is the opinion of the au	thor that the subject paper (is) (is n	ot X) classified, if	n accordance with reference (b).		
This paper does not violat	e any disclosure of trade secrets or suggestative in confidence. This paper (does	Idoes not \mathbf{Y}_{i}) contain any militarily critical technology.		
This subject paper (has) (has never X) been incorporated	n an official NRL Rep	oort.		
K. T. Holland, NRL C	ode 7440.3				
Name and Code (Principal Author) (Signature)		(Signature)			
			,,		
5. ROUTING/APPROVAL			, - 5		
	SIGNATURE	DATE	COMMENTS		
5. ROUTING/APPROVAL CODE Author(s)	SIGNATURE OLOGIA HUW	DATE 10/16/00			
5. ROUTING/APPROVAL CODE	SIGNATURE THE THE HELD	DATE 10/16/00			
5. ROUTING/APPROVAL CODE Author(s)	SIGNATURE PLOSSIS TUSS	DATE			
5. ROUTING/APPROVAL CODE Author(s)	SIGNATURE PLOSIDA HUN	DATE / 10/16/00			
5. ROUTING/APPROVAL CODE Author(s) Holland	SIGNATURE, THE SIGNATURE	DATE 10/16/00			
5. ROUTING/APPROVAL CODE Author(s)	SIGNATURE PLOSSISSISSISSISSISSISSISSISSISSISSISSISSI	DATE / 10/16/00			
5. ROUTING/APPROVAL CODE Author(s) Holland Section Head	SIGNATURE PLOSISS FLUIS OKCHOL HUNG	10/16/00	COMMENTS		
5. ROUTING/APPROVAL CODE Author(s) Holland Section Head N/A Branch Head actics	SIGNATURE THE SIGNAT	10/16/00			
Section Head N/A Branch Head action Harris	SIGNATURE PLOSISS FILLS Philip Walent Wavid & Landersen	10/16/00	1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (9228).		
Section Head N/A Branch Head Harris Division Head Figure Harris Division Head Figure Harris Division Head Figure Harris Code 12217031 Office of Counsel,	SIGNATURE PLOSISIS FLOOR Philip & Malent Maviel Cardiner MANNING	10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas never) been classified. 1. Paper or abstract was released.		
Section Head N/A Branch Head Harris Division Head Light Harris Division Head Light Harris Security, Code 122113	SIGNATURE OLGISTALIA PRILIP Malent Mariel Landerer MANNAN	10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas never) been classified. 1. Paper or abstract was released.		
Section Head N/A Branch Head Harris Division Head Eppert Security, Code 1221131 Office of Counsel, Code \$008.2	This Halent Havid Kendeser	10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas never) been classified. 1. Paper or abstract was released.		
Section Head N/A Branch Head Harris Division Head Figure 1 Security, Code 12211031 Office of Counsel, Code \$008.2 ADOR/Director NCST Public Affairs (Unclassified/	The Halent Halent Savid Readiser	10/16/00	COMMENTS 1. Release of this paper is approved. 2. To the best knowledge of this Division, the subject matter of this paper (bas never) been classified. 1. Paper or abstract was released.		

6. DISTRIBUTION STATEMENTS (Author to check appropriate statement and fill in reason as required)			
A - Approved for public release, distribution is unlimited.			
B - Distribution authorized to U.S. Government agencies only (check reason below):			
Foreign Government Information Contractor Performance Evaluation Critical Technology	1		
Proprietary Information Administrative/Operational Use Premature Dissemination Test and Evaluation Software Documentation Cite "Specific Authority	1		
Date statement applied	(Identification of valid		
Other requests for this document shall be referred to	I		
(Insert Controlling DOD C - Distribution authorized to U.S. Government agencies and their contractors (check reason below):			
Foreign Government Information Software Documentation	!		
Administrative/Operational Use Critical Technology Cite "Specific Authority	,		
Date statement applied	(Identification of valid		
Other requests for this document shall be referred to	_		
(Insert Controlling DOD D - Distribution authorized to DOD and DOD contractors only (check reason below):			
Foreign Government Information Critical Technology	ļ		
Software Documentation Critical Technology Cite "Specific Authority	,		
Administrative/Operational Use (Identification of valid	-		
Date statement applied	1		
Other requests for this document shall be referred to (Insert Controlling DOD			
E - Distribution authorized to DOD components only (check reason below):			
Critical Technology	!		
Proprietary Information Premature Dissemination Direct Military Support Foreign Government Information Software Documentation Test and Evaluation			
Administrative/Operational Use Contractor Performance Evaluation Cite "Specific Authority	,		
Date statement applied	(Identification of valid		
Other requests for this document shall be referred to (Insert Controlling DOD	_		
F - Further dissemination only as directed by			
(Insert Controlling DOD			
Date statement applied or higher DOD authority			
X - Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to technical data in accordance with regulations implementing 10 U.S.C. 140c.	o obtain export-controlled		
Date statement applied Other requests for this document shall be referred to			
Other requests for this document shall be referred to (Insert Controlling DOD			
*For NRL publications, this is usually the Commanding Officer, Naval Research Laboratory, Washington, DC 20375-53	20		
7. OTHER LIMITATION	A. 91 (1994)		
Classification only NOFORN DTIC exempt (explain)			
Substantive changes made in this document after approval by Classification Review Classification Review (Initial/Date) Substantive changes made in this document after approval by Classification Review these reviews. Therefore, if any substantive changes are made by the author, Tec the document must be returned for another Classification Review and Public Release	chnical Information, or anyone else,		
8. INSTRUCTIONS			
Author completes and submits this form with the manuscript via line channels to the division head for retaining in section 4.	view and approval according to		
NRL ReportsSubmit the diskette (if available), manuscript, typed double-spaced,			
NRL Memorandum ReportsSubmit a copy of the original, typed manuscript complete with tables, illustrations, references, draft SF 298, and proposed distribution list.			
3. NRL Publications or other books, brochures, pamphlets,Handled on a per case basis by Site Technical Information Office. proceedings, or any other printed publications.			

Abstract submitted for 4th Intl Symp. on Ocean Wave Measurement and Analysis (WAVES 2001) Sept 3-5, 2001 San Francisco, CA, USA

NRL\7440/7440--00-

Space-Time Imaging of Shoaling Waves and Surf

John <u>Dugan</u>, Cindy <u>Piotrowski</u>, and Zandy <u>Williams</u>
Areté Associates, 1725 Jeff Davis Hwy, Crystal City, VA, 22202, 703 413 0290
last name@areté-dc.com
and

Todd Holland


Naval Research Laboratory, Code 7442, Stennis Space Center, MS, 39729, 228 688 5320, tholland@nrlssc.navy.mil

Abstract

A fundamental barrier to consequential evaluation of modern, very capable shoaling wave and surf models has been the inability to provide high-quality ocean data with which to test model results. This paper describes a development intended to satisfy this need by providing space-time visible images of the nearshore from which three parameters crucial to such evaluations are simultaneously retrieved. These fields are the wave spectrum, bathymetry and currents. A panchromatic digital framing camera has been mounted on a small aircraft and used to collect time series of images of waves as they shoal and break. The camera system is controlled by a computer-driven turret which provides accurate location and pointing angles so that the images can be mapped to the mean water level on a common geodetic reference surface. This effectively separates space and time variations associated with the waves. The resulting time series imagery can be mapped and displayed much like a movie taken from a sky hook (see the single frame of mapped data attached below). These data are used with algorithms to retrieve the ocean parameters of interest, specifically the wave spectrum, water depth and currents. The 3-D frequency-wavenumber spectrum is calculated in sub-regions of the nominal 2 km scene, and the theoretical dispersion relation for linear gravity waves is fit to the spectrum, with the local water depth and current as free parameters. Also, the frequency-direction (f-d) spectrum is computed by integrating the 3-D spectrum. Comparisons of these results are made with a

bathymetry survey, ADCPs, and the spectrum from the pressure array at the USACE FRF as part of the SHOaling Wave EXperiment (SHOWEX). The retrieved f-d spectrum is essentially identical to the FRF spectrum, except in instances when alongshore currents Doppler shift the higher frequency waves. Also, the retrieved water depths and currents generally are accurate to ~5% relative values. In addition, the patterns of wave breaking also are analyzed to infer the patterns of wave stress and the morphology in the surf zone, much as has been done with visible image data from the ARGUS tower-mounted video cameras in recent years.

Finally, these parameters can be retrieved across much of the 2 km imagery, so that these product fields can be compared directly with the output fields of 2-D shoaling wave and surf models. Since these are the same parameters that are essential elements of various nearshore models, we suggest that a unique use of these data sets is providing test cases for evaluating shoaling wave and surf models. Data sets were collected both at FRF and nearby Oregon Inlet during SHOWEX, so test cases could be assembled for both simple and complex morphology.



To be presented by: <u>Dr. John Dugan</u>

Suggested topical sessions: **remote sensing** or **wave measurement and analysis**Requires computer display for showing the very impressive movie loops